Instruction manual Glass pendant light CELIA 3-light smoke gray



Designed in Germany

Important:
KEEP FOR FUTURE REFERENCE. READ CAREFULLY!

ASSEMBLY



220V-240V~50/60Hz,
3 x G9 / max. 40W

DE - Installation requires specialist knowledge and may only be carried out by an authorized electrician in compliance with local and national regulations!
EN - The installation requires expert knowledge and may be carried out only by an approved electrician under consideration of local and national regulations!

(EN) ATTENTION!
Please read the safety instructions carefully before starting installation work!

DE

Operating instructions
Article ID: 25526 Variant ID: 61080

Read the instructions carefully and keep them in a safe place!

⚠ **Safety instructions for installation and operation Non-compliance can lead to danger to life, burns and fire!**
Any work on the electrical connection may only be carried out by qualified electricians!
Do not change or modify the product.
Do not attach anything to the product. Do not cover the product.
If a malfunction or damage is suspected, take out of operation and contact the dealer or a qualified electrician.
Ensure that children are not harmed by the product.
Further safety =⚠

Proper use

Protection class I (1) ⏚ - Connection with protective conductor.
Only operate firmly mounted on a level surface.
Only operate on normal or non-flammable surfaces. Only operate in dry indoor areas.
Do not subject to heavy mechanical stresses or strong pollution to the pollution.

Light source replacement
⚠ Disconnect the lamp from the power supply and allow to cool down.
Approved illuminant types: G9, 40W max.

Care / Storage
⚠ Disconnect the product from the power supply and allow to cool. Clean the outside only with a slightly damp (water) cloth. Only store in a dry and clean place.

Assembly

⚠ De-energize the power supply/connecting cable! Only use the accessories described.
Only use suitable mounting material. Only suitable for ceiling installation.
Mount as shown in the illustration.

Electrical connection
flexible conductors with suitable wire end ferrules!
→Terminal L
Neutral conductor→ Terminal N
Protective conductor→ Earthing terminal

⚠ Check for secure hold and proper function!

(WARNING!
Before assembling, please read carefully the safety instructions!

EN **Operating Manual**
Article ID: 25526 Variant ID: 61080

Read manual carefully and keep for further use!

⚠ **Safety advices for installation and operation. Disregard may lead to danger of life, burning or fire!** Any works on the electrical connection only by electrician. Do not alter or modify the product.
Do not fasten anything on the product. Do not cover the product.
Take out of service when suspecting a defect or malfunction and contact your dealer or a qualified electrician.
Take measures that children do not get harmed by the product. Additional safety advices =⚠

Use as directed

Safety class I (1)⏚ - Connection with protective conductor. Operate only firmly fixed on an even surface.
Operate only on normal or not inflammable surfaces.
Operate only in dry indoor area.
Do not strain mechanically or expose to strong dirt contamination.

Lamp replacement
⚠ Disconnect luminaire from mains and let it cool down.
Suitable light sources: G9, 40W max.

Care / Storage
⚠ Disconnect product from mains and let it cool down.
Clean external surfaces regularly with a slightly moistened (water) cloth.
Store dry and clean.

Installation
⚠ Switch off mains / fixed connection cable! Use only described accessories.
Use only suitable fastening materials.
Only suitable for ceiling surface mounting.
Install as shown in the figure.

Electrical connection
Equip flexible wire ends with suitable wire ferrules!
Live conductor → Terminal L
Neutral conductor → Terminal N
Protective conductor→ Earth terminal

⚠ Check secure fixation and proper function!

Home Deluxe GmbH
Schanzeweg 2
32312 Lübbecke
Germany
Phone: +49 (0)5743 6181-0
www.home-deluxe-gmbh.de

CELIA glass pendant light
Art.-ID: 25526/ Var.-ID: 61077
Glass pendant light CELIA 3-light smoke gray Package 1 of 1
Art.-ID: 25525 / Var.-ID: 61076

BDA-311-00-celia_3-flammig Rauchgrau
2024/11